

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	641	138/31.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/26 15:46
L6	559	138/96R.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/26 16:02
L7	1309	138/30.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/26 16:58
L8	571	138/26.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/26 16:59
L9	1238	138/109.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/26 16:59
L12	266	72/239.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/26 17:01
L13	403	72/369.ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/26 17:01
S1	1	("20020104433").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/05 08:49
S2	0	("2002/0104433").URPN.	USPAT	ADJ	ON	2008/03/05 15:57
S3	171	"piston- type accumulator"	US-PGPUB; USPAT	ADJ	ON	2008/03/05 15:58
S4	1	"10544110"	US-PGPUB; USPAT	ADJ	ON	2008/03/05 16:52
S5	1	("2828760").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/06 15:59
S6	1	("3064686").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/06 16:30
S7	1	("2734531").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/06 16:33
S8	1	("3064686").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/11 15:20
S9	1	("2734531").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/11 15:29
S10	281	"shaping tool" and piston	US-PGPUB; USPAT	ADJ	ON	2008/03/11 15:40
S11	6787	piston with accumulator	US-PGPUB; USPAT	ADJ	ON	2008/03/13 10:12
S13	1763	insertion with bevel	US-PGPUB; USPAT	ADJ	ON	2008/03/13 10:13
S14	3	S11 and S13	US-PGPUB; USPAT	ADJ	ON	2008/03/13 10:14

S15	7320	piston with accumulator	US-PGPUB; USPAT; EPO	ADJ	ON	2008/03/13 10:18
S16	1796	insertion with bevel	US-PGPUB; USPAT; EPO	ADJ	ON	2008/03/13 10:18
S17	3	S15 and S16	US-PGPUB; USPAT	ADJ	ON	2008/03/13 10:18
S19	7320	piston with accumulator	US-PGPUB; USPAT; EPO	ADJ	ON	2008/03/13 13:52
S20	3936	S19 and (cap or cover or top)	US-PGPUB; USPAT	ADJ	ON	2008/03/13 13:52
S21	468	S20 and insert	US-PGPUB; USPAT	ADJ	ON	2008/03/13 13:53
S22	364	S21 and (interior or internal)	US-PGPUB; USPAT	ADJ	ON	2008/03/13 13:53
S24	11	S22 and "92".clas.	US-PGPUB; USPAT	ADJ	ON	2008/03/13 13:54
S25	8	S22 and "138".clas.	US-PGPUB; USPAT	ADJ	ON	2008/03/13 13:56
S26	2	method near piston near accumulator	US-PGPUB; USPAT	ADJ	ON	2008/03/13 14:08
S27	14	method near piston near production	US-PGPUB; USPAT	ADJ	ON	2008/03/14 09:54
S29	2	("1128073").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2008/03/14 14:17
S30	1	("4205199").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2008/03/14 14:20
S31	1	("2238211").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2008/03/14 14:22
S32	641	(138/31).ccls.	US-PGPUB; USPAT	ADJ	ON	2008/03/18 08:57
S33	99	S32 and stop	US-PGPUB; USPAT	ADJ	ON	2008/03/18 08:57
S34	1	("2884955").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/18 09:03
S37	1	("6460571").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/18 15:40
S38	0	(138/31).ccls. and ((position\$4 OR indicat\$4 OR align\$5) adj tool)	US-PGPUB; USPAT	ADJ	ON	2008/03/18 16:09

S39	65	("138").clas. and ((position \$4 OR indicat\$4 OR align \$5) adj tool)	US-PGPUB; USPAT	ADJ	ON	2008/03/18 16:09
S40	1	("3837334").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/19 08:08
S41	1	("2748801").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/19 09:51
S42	1	("3837354").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/19 09:53
S43	1	("5311910").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/19 09:55
S44	1	("6460571").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/24 09:49
S45	3	("6460571").URPN.	USPAT	ADJ	ON	2008/03/24 09:49
S46	10	("2748801" "3408731" "3757523" "3837354" "4448217" "4595038" "4793381" "5311910").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/03/24 09:52
S47	1238	die and accumulator and piston	US-PGPUB; USPAT	ADJ	ON	2008/03/24 10:16
S48	840	S47 and forming	US-PGPUB; USPAT	ADJ	ON	2008/03/24 10:17
S49	390	S48 and (cover or "end cap" or endcap)	US-PGPUB; USPAT	ADJ	ON	2008/03/24 10:18
S50	7	S49 and ("29".clas. or "138".clas.)	US-PGPUB; USPAT	ADJ	ON	2008/03/24 10:57
S51	41	S48 and ("29".clas. or "138".clas.)	US-PGPUB; USPAT	ADJ	ON	2008/03/24 11:00
S52	1	("4644976").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/25 09:29

3/26/2008 5:08:08 PM

C:\Documents and Settings\rwalters1\My Documents\EAST\Workspaces\10540011
piston accum.wsp